

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. Moms
VIO SERIES			
VIO L208	Offering lighter and faster rigging elements, featuring an unique acoustic design, combining long throw and detailed audio performance, the new VIO L208 is both a powerful yet compact stand-alone line array system, and a fully compatible down-fill for VIO L210+ VIOL208 hybrid systems, completed by VIO S Active subwoofers.	18.372,00	22.965,00
VIO L208 WHITE	The same af VIO L208, but white	18.372,00	22.965,00
VIO L210	2-way active line array module, equipped with: 1x 1.4" Neo compression driver exit (3" voice coil) and 2x 10" neo woofer (2.5" voice coil). 900 W RMS Class D DIGIPRO® G3 amplifier DSP, max 135 dB SPL. Controls: 1x Speakers Coupling (7 presets), 1x HF Compensation (8 presets), 1x Input Attenuation. Cabinet: Multiplex plywood, Dimensions: WxHxD 720x320x520 mm. Weight: 28.6 kg (63 lbs.)	23.468,00	29.335,00
VIO L210 WHITE	The same as VIO L210, but white	23.468,00	29.335,00
VIO L212	VIO L212 is the first dBTechnologies' full scale line array module designed for large touring sound reinforcement applications, concurrently providing mighty output capability and optimized coverage behaviour. dBTechnologies was able to pack great sound pressure levels into one of the most compact and lightest active 2x12" line array systems.	41.768,00	52.210,00
VIO S118	Single 18" VIO subwoofer. Flyable	27.172,00	33.965,00
VIO S118 WHITE	The same as VIO S118, but white	27.172,00	33.965,00
VIO S118R	Equipped with a 18" woofer (4" voice coil), the bass reflex sub has been crafted to complete with impressive low-end VIO line array systems.	24.236,00	30.295,00
VIO S118R WHITE	The same as VIO S118R, but white	24.236,00	30.295,00
VIO S218	The perfect partner for VIO L212 in larger sound reinforcement applications. A simple, effective dual sub configuration designed to enhance the reproduction of the lowest frequencies, boosted by an advanced DSP control and complete network capability.	41.768,00	52.210,00
VIO S318	Active bass-reflex semi-horn loaded subwoofer, equipped with 3x 18" woofers with a 4" voice coil, 2700 w RMSClass D DIGIPRO® G3 amp, max SPL 143 dB, 1x Input Attenuation Rotary Switch, 1x Rotary Encoder (Delay 9.9 ms,) 1x Polarity Inversion Switch (0° or 180°), 1xCardioid Mode Switch, 1x X-Over Freq Switch (70-105 Hz + Full Range (steps of 5 Hz), Cabinet: multiplex plywood, Dimensions WxHxD: 1300x520x800 mm, Weight: 103,9 kg (229.06 lbs.)	38.904,00	48.630,00
VIO X Series			
VIO X10	VIO X is an original series of professional active 2-way speakers. A point-source completion for the VIO family, combining impressive output, advanced DSP features and complete networkability via Aurora Net software.	9.080,00	11.350,00
VIO X12	VIO X is an original series of professional active 2-way speakers. A point-source completion for the VIO family, combining impressive output, advanced DSP features and complete networkability via Aurora Net software.	10.896,00	13.620,00
VIO X15	VIO X is an original series of professional active 2-way speakers. A point-source completion for the VIO family, combining impressive output, advanced DSP features and complete networkability via Aurora Net software.	11.736,00	14.670,00
VIO X205-60	Forventet levering juni 2019	8.384,00	10.480,00
VIO X205-100	Forventet levering juni 2019	8.384,00	10.480,00
VIO W series			
VIO W10	Forventet levering juni 2019	8.804,00	11.005,00

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. Moms
DVA SERIES			
DVA T12	Active 3-Way Array Modul 1410 W/RMS Class-D, 1x12" Woofer, 2 x 6,5" Mid, 3x1" driver, 100°x10° single unit, 136 dB SPL, 24-Bit/96KHz DSP, Switch mode supply with PFC, RD-Net, Dimensions: 580x386x430mm, Weight 29.9kg	25.844,00	32.305,00
DVA T12W	The same as DVA T12, but white.	25.844,00	32.305,00
DVA T8	Active 3- Way Line-Array Module, 1x 8" Neo Woofer, Bandpass Design, 1x 6.5" hornloaded Neo Midrange Woofer incl. Phaseplug, 2x1" Neo Compression Driver 700 W / RMS, 66 – 18.000 Hz, 132 dB SPL. Black. Dimesions: 580x240x327mm, Weight 14,2 kg	15.368,00	19.210,00
DVA T8W	The Same as DVA T8, but white.	15.368,00	19.210,00
DVA S30 N	Active 2x18" Subwoofer with horn-loaded Reflex tunnel, 3000 W/RMS, 2x18" Neodymium woofer with 4" V.C., 141 dB SPL, 24-Bit/96KHz DSP, Switch mode supply with PFC, RDNet, Dimensions: 1100x580x720mm, Weight 72kg	27.240,00	34.050,00
DVA S2585 N	Active Cardiod-Subwoofer 1x18" front + 1x15" back , max. SPL: 140 dB, 2500 W/RMS digipro® G2, System preset : X-Over Phase Delay, RDNet, 2x RJ45, Dimension: 515x640x1000mm, Weight 65kg	32.828,00	41.035,00
DVA S1521 N	Active Bassreflex-Subwoofer, 1x21" Neodymium, max. SPL: 139 dB, 1500 W/RMS digipro® G2 , System preset : X-Over Phase Delay, RDNet, Dimension: 580x800x720mm, Weight 52.5kg	25.144,00	31.430,00
DVA S1518 N	Active Subwoofer Bandpass, 1x18", max. SPL: 138 dB, 1500 W/RMS digipro® G2 , System preset: X-Over Phase Delay, RDNet, Dimension: 510x640x720mm, Weight 46kg	23.052,00	28.815,00
DVA S08 DP	12" high power active bass-reflex subwoofer, 12" RCF Neodymium Woofer, strong multiplex plywood housing 800 W/RMS digipro®, max. SPL: 131 dB, Stereo Active X-Over, DSP 24 Bit/ 48 kHz. Weight: 26 kg, Dimensions:370x515x500mm	7.404,00	9.255,00
DVA S09 DP	Active Band-Pass Subwoofer, 1 x 15" neodymium woofer with 4" Voice-Coil, multiplex housing, 1000 W/RMS digipro® Class-D power amp incl. switched mode supply with PFC, active x-over @ 90/120 Hz, max SPL 134 dB, Weight 37.5kg, Dimensions: 515x440x720mm.	9.988,00	12.485,00
DVA S09 DPW	The same as DVA S09 DP, but white.	9.988,00	12.485,00
DVA K5	3-way active line array module, equipped with: two 1" compression driver exit (1.4" voice coil), one 6.5" neodymium midrange (2" voice coil) and one 8" neodymium woofer (2.5" voice coil). 500 W Class D DIGIPRO® G3 amplifier DSP, max SPL 129 dB, DSP 28/56 bit 48 kHz, controls: 2 rotary encoders with 8 presets, Cabinet:Polypropylene PP metal reinforced, Dimensions: 580x240x327 mm. Weight: 14.2 kg (31.31 lbs.)	10.480,00	13.100,00
DVA KS10	Active semi-horn loaded flyable subwoofer, equipped with one 18" woofer (4" voice coil), Class D DIGIPRO® G3 amp, 900 W RMS, max SPL 134 dB, DSP 28/56 bit 48 kHz, Rotary Delay Control (10 positions) and switches (Outputs Mode, Phase, Xover), Subwoofer level, cabinet: plywood, Dimensions: 515x640x720, Weight: 48 kg (105.82 lbs.)	12.852,00	16.065,00
DVA KS20	Active semi-horn loaded subwoofer, equipped with two 18" transducer with a 4" voice coil. DIGIPRO® G3 class D amp 1800 W RMS, DSP, 28/56 bit 48 kHz, Rotary Delay Control (10 positions) and switches (Outputs Mode, Phase, Xover), Subwoofer level, cabinet: plywood, Dimensions WxHxD: 1100 mm (43.31 in)x 580 mm (22.83 in)x720 mm (28.35 in); Weight: 84 kg (185.19 lbs.)	20.256,00	25.320,00
DVA M2M+M2S	2-Way Active Master Line Array Module and 2-Way Slave Line Array Module, 2x6.5" Neo Woofers incl. Phaseplug, 2x1" Neo Drivers, 200 (M2M)+200 (M2S) W/RMS, 78-19.000 Hz [+/- 6dB], 126 dB SPL, SMPS with auto-range. Black. Dimensions: 460x190x345 mm, Weight M2M: 7.6 kg, Weight M2S: 7.1 kg	9.988,00	12.485,00

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. Moms
DVA M2M+M2SW	The same as DVA M2M+M2S, but white.	9.988,00	12.485,00
DVA M2P	2-Way Passive Line Array Module, 2x6.5" Neo Woofers incl. Phaseplug, 2x1" Neo Drivers, 150 W/RMS, 78-19.000 Hz [+/-6dB], 126 dB SPL. Black. Dimensions: 460x190x345 mm, Weight: 7.1 kg	8.524,00	10.655,00
DVA MS12	Active Bass-Reflex Flyable Subwoofer, 1x12" Woofer, 700 W/RMS, 45-140 Hz, 131 dB SPL, SMPS with auto-range, Integrated flying hardware. Dimensions: 460x430x385 mm, Weight: 26.2 kg	8.384,00	10.480,00
DVA MS12 W	The same as DVA MS12, but white.	8.384,00	10.480,00
DVA MINI G2	2-Way active Line Array module	9.596,00	11.995,00
DVX SERIES			
DVX D8 HP	2-way Active Speaker with 8" woofer 2" VC, 400W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, max SPL 125 dB, Dimensions: 250x425x260mm, weight 11,5 Kg / 25,3 lbs.	6.008,00	7.510,00
DVX D10 HP	2-way Active Speaker with 10" woofer 2,5" VC, 600W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, max SPL 127 dB, Dimensions: 290x510x310mm, Weight:14Kg / 30,8 lbs.	6.568,00	8.210,00
DVX D12 HP	2-way Active Speaker with 12" woofer 3" VC, 700W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, max SPL 131 dB, Dimensions: 370x395x625mm, Weight: 25Kg / 55 lbs.	9.080,00	11.350,00
DVX D15 HP	2-way Active Speaker with 15" woofer 3,5" VC, 700W/RMS digipro® G2 digital power, System preset DSP Flat / Processed, 90°x70° CD horn, maxSPL 132 dB, Dimensions: 430x690x450mm, Weight: 28Kg / 61,6 lbs.	9.920,00	12.400,00
DVX DM 12TH	2-way active stage monitor, 1x12" RCF neodymium woofer with 4" VC, 1 x 1.4" neodymium CD with 3" VC, rotatable aluminum CD-Horn (90°x40°), rotatable frontal panel (left/right configuration), 1500W/RMS , 63Hz-16KHz, 136 dB SPL, SMPS with PFC, Dimensions 670x325x405mm, weight 24.5kg/54lbs	15.368,00	19.210,00
DVX DM 15TH	2-way active stage monitor, 1x15" RCF neodymium woofer with 4" VC, 1 x 1.4" neodymium CD with 3" VC, rotatable aluminum CD-Horn (90°x40°), rotatable frontal panel (left/right configuration), 1500W/RMS , 55Hz-16KHz, 136 dB SPL, SMPS with PFC, Dimensions 735x355x447mm, weight 28.5kg/62.8lbs	16.764,00	20.955,00
DVX DM 28	2-way stage monitor, 2 x 8" RCF neodymium woofers with 2,5" VC, 1 x 1" neodymium HF-driver with 1,75" VC, asymmetrical CD-Horn (30°+ 45°v), 750W/RMS , 70Hz-20KHz, SPL max. 130dB, Dimensions 480x265x418mm, weight 14kg/30.8lbs	9.012,00	11.265,00
DVX DM 12	2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), 750W/RMS , 55Hz-20KHz, SPL max. 131dB, Dimensions 660x305x378mm, weight 17,5kg/38,5lbs	10.828,00	13.535,00
DVX DM15	2-way stage monitor, 1 x 15" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), 750W/RMS 55Hz-20KHz, SPL max. 131dB, Dimensions 660x305x378mm, weight 17,5kg/38,5lbs	11.388,00	14.235,00
VIO Accessories			
DRK-210	Flybar for VIO L210	7.180,00	8.975,00
DO-VIOS318	Dolly for VIO S318	4.360,00	5.450,00
DT-VIOL210	Trolley for VIO L210	15.004,00	18.755,00
SWK-18	Kit composed by 4 x 100mm wheels	532,00	665,00
TC-VIOL210	Functional Cover for DT-VIOL210	1.132,00	1.415,00
DRK-208	Flybar for VIO L208	2.696,00	3.370,00
DT-VIOL208	Dolly transport top		

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. Moms
DVA Accessories			
ADTF-2	Flight case for 2 DVA T12 modules. The case is equipped with self-centering metal cart to facilitate assembly and disassembly of the modules.	9.780,00	12.225,00
ADTF-3	Flight case for 3 DVA T12 modules. The case is equipped with self-centering metal cart to facilitate assembly and disassembly of the modules.	10.380,00	12.975,00
DF 4	Fly case for DVA T4 and T8 modules in black laminated wood veneer with aluminium profiles. The Flight case does not include the DT-6 trolley (Optional) or in bundle (DTF4 dB Technologies Code: 103030054).	6.652,00	8.315,00
		532,00	665,00
DGS-MS12	Base for ground stacking DVA MS12 and DVA M2		
		1.680,00	2.100,00
DO 18	Dolly for S1518 N, S2585 N (including wheels).		
		1.928,00	2.410,00
DO 218	Dolly for DVA S30 N (including wheels).		
		1.928,00	2.410,00
DRK-10	Fly bar for all DVA systems (T4, T8, T12, S09 DP, S10 DP, S20 DP, S30 N, S1518 N, S1521 N, S2585 N). Designed to hang up to a maximum weight of 250 Kg (TUV certified). Usable for stack	3.772,00	4.715,00
		3.676,00	4.595,00
DRK-10W	The same as DRK-10, but white		
DRK-20	Fly bar for DVA systems. Designed to hang up to a maximum weight of 1800 kg (TUV certified; the maximum weight depends on the barycenter of the system). Usable for stack configurations with supplied hardware, either on DVA subwoofers or on the stage directly.	5.840,00	7.300,00
DRK-20M	Motorized fly bar for DVA systems with RDNet control. Designed to hang up to a maximum weight of 1000 kg (TUV and CERMET certified). It Allows you to change the angle through wired	21.376,00	26.720,00
DRK-HK	Additional hook for DRK-20, plus 2 Pins	308,00	385,00
DRK-M5	Fly bar for hanging up to 16 x DVA Mini modules.	1.692,00	2.115,00
DRK-M5 W	Fly bar for hanging up to 16 x DVA Mini modules. White	1.816,00	2.270,00
DRP S10	Rain Cover for DVA S10 DP	196,00	245,00
DRP T4	Rain cover for DVA T4	212,00	265,00
DS 2	Pole Mount Ø35mm, adjustable, M20 thread. It can be used on all DVA subwoofers, SUB 15D and SUB 18D. It allows the installation of any loudspeakers provided with a 35 mm hole above on any subwoofer with a M20 flange.	212,00	265,00
		72,00	90,00
DS2-S	Pole Mount M20 thread, 20cm length. It can be used on all DVA subwoofers, SUB 15D, 18D, 15H and 18H. It allows the installation of any loudspeakers provided with a 35 mm hole on any subwoofer with threaded M20 speaker stacking (height 11 cm).		
DSA 4	Adapter for up to 3 DVA T4/T8 on a speaker stand/pole or floor use through adjustable feet. Throw angle adjustable through graduated knob.	2.684,00	3.355,00
DSA-M2A	Pole mount adapter for DVA Mini modules for 1 or 2 couples of DVA MINI	1.188,00	1.485,00
DSF-M2	Adapter for fixing DVA M2 to SUBs H and SUBs D	1.148,00	1.435,00

PROFF

dBTechnologies

Varenr	Tekst	excl. moms	incl. Moms
DT 6	Metal trolley to carry up to 6 DVA T4/T8 modules or up to 4 DVA T12 modules. In case of T4/T8 modules, when combined with DF-4 flight case, you can also fit 1 DRK-10 fly bar and various cables in the rear. Ready for mounting 4 Bluewheels (included).	3.856,00	4.820,00
DT-8MINI	Metal trolley for DVA Mini.	5.548,00	6.935,00
DTF 4	Bundle: DT 6 Metal-Trolley + Professional Flight case DF 4 to setup, disassemble and transport DVA T4 - T8 modules. You can also fit 1 DRK-10 fly bar and various cables in the rear.	10.492,00	13.115,00
DWB-3	Metal frame for hanging up to 3 DVA T4/T8 modules in fixed installations on walls. Black colour.	2.124,00	2.655,00
DWK 20	Kit consisting of 4x Wheels for DVA S09 DP, S10 DP, S20 DP, S1518 N, S1521 N, S2585 N, S30 N subwoofers.	532,00	665,00
RC M2	Rain cover for DVA Mini M2M and M2S.	184,00	230,00
RC MS12-SUBH	Rain cover for DVA mini MS12, SUB 15H and 18H subwoofers.	100,00	125,00
RDNET CONTROL 2	RDNet Controller for 2 Lines per 32 Speakers	1.036,00	1.295,00
RDNET CONTROL 8	RDNET CONTROL 8 is an hardware interface to connect dB Technologies RDNET compatible devices (DVA T12,T8, DVA S30N,etc.), to a Personal Computer (PC) by means of an USB connection.	10.368,00	12.960,00
SDD Delay	Digital delay module for S10 DP and S20 DP subs. Delay time ranging from 1.5 to 99.5 ms. It allows you to align subwoofers to full-range speakers with a calculated delay time and/or	1.232,00	1.540,00
SRK-09	Optional hardware kit to hang up DVA S09 DP to DRK-10 or DRK-20 fly bars. It allows you to hang up other DVA full-range modules (DVA T4/T8/T12) under the sub, or can be used to create stack configurations without any fly bar. Black Color.	1.708,00	2.135,00
SRK-09W	The same as SRK-09, but white.	1.512,00	1.890,00
SRK-10	Optional hardware kit to hang up DVA S10 DP, S1518 N and S2585 N subs to DRK-10 or DRK-20fly bars. It allows you to hang up other DVA full-range modules (DVA T4/T8/T12) under the sub, or can be used to create stack configurations without any fly bar. Black Color.	1.636,00	2.045,00
TC 09S	Tour cover for DVA S09 DP	252,00	315,00
TC 10S	Tour cover for DVA S10 DP and S1518N	268,00	335,00
TC 20S/TC 30S	Tour cover for DVA S20 DP and S30 (N)	352,00	440,00